

# MULTIPLE ITEM USER PREFERENCE INFORMATION DATA STRUCTURE AND METHOD FOR PROVIDING MULTI-MEDIA INFORMATION

## BACKGROUND OF THE INVENTION

5

### 1. Field of the Invention

10 The present invention relates to a user preference information data structure and a method for providing whole or partial multi-media content using the user preference information data structure, and more particularly, to a user preference information data structure which is capable of classifying and setting user's preference information regarding multimedia contents with multiple items to thereby provide users with user request-based whole or partial multi-media information, and a method for providing multi-media information by using the user preference information data structure.

15

### 2. Description of the Background Art

Recently, as a digital video technique and an image/video recognition technique are developed, information users can easily search a video contents or a specific segments of the video content as desired.

20

That is, users easily understand the whole content of a video stream within a short time by searching only a summary version generated according to user's desire, rather than viewing the whole content recorded in the video stream.

For this purpose, researches are being conducted for searching information desired by the user more easily, for which a content-based information is described to the whole or the partial segments of the multi-media stream so that

the user can easily search desired information using the content-based data.

The content-based data may include a producer, a director, an actor in the whole multi-media stream or may include information related to appearance or disappearance of things in a video scene, information on when things happen, interval information of the stream such as a relationship between a character and happenings.

Accordingly, when the content-based data is described for the multi-media stream, the user may select a desired multi-media stream, or easily searches only a desired portion (or a segment) of the multi-media stream.

The method using the content-based data will now be described.

In order to satisfy the user's request that "show me only the scene in which a main actor is closed up in the movie Titanic", the video browsing system can display only the desired scene to the user on the basis of the previously described content-based data regarding the multimedia content.

U.S. Patent No. 5,913,013 discloses a method in which a level is set for a violent scene, a nude scene or a portion of appearance of an actor in a multi-media stream and a code is given for segments, to thereby construct a content map. With this method, the user can easily search a desired portion on the basis of the content map.

However, the method for providing multi-media contents or parts of contents using the content map has a problem that whenever the user wants his or her desired information, the searching condition should be described by the user.

In order to solve the problem, most systems adopts a method that automatically recommend programs or segments of programs by combining a

~~terminal~~

5

expressing a user preference/non-preference.

10

15

20

$\text{Pref} = \{(l, v) : l \text{ denotes a preference item}\}$

25

item.

Figure 2 illustrates a construction of a user preference information data structure in accordance with a conventional art. The user preference information 100 includes a plurality (0, 1, ..., n) of item user preference information 110. The sub-tree of the user preference information 110 includes a preference item identifier 111 for searching multi-media information or a partial portion of the multi-media information and an item preference/non-preference level 112.

The item user preference information 110 may be formed by items of a similar category, for example, a group (or a set) of preference items by genres or actors. The group (or the set) may be designed to have one-dimensional structure or a hierarchical structure .

The preference item identifier 111 includes items such as a producer, a director or an actor of the multi-media information. The item preference/non-preference level (or a value) 112 indicates the degree of preference for the preference items.

In this manner, the method recommends or provides a multi-media stream or a portion of the multi-media stream (a segment or a still image) fitting the user's taste by automatically filtering multi-media stream or its segment according to the user's preference.

However, generally, as a data format in very diverse types, and further, the content of the multi-media information also includes various genres, there are great number of items to describe the user preference information.

Accordingly, the conventional user preference information data structure formed merely with the single item and a corresponding user preference/non-preference level. But, multi-media information providing method by using the data

structure of the conventional art is unsatisfactory in the aspect that since the information desired by the user is expressed merely by the single item and its corresponding preference item level, it can not fully express the user preference.

For example, in case where the user has a high preference level for each  
5 of preference item 'A' and 'B' while he or she does not prefer the content that 'A' and 'B' appear together at the same time, the user preference expressing method for the single item in accordance with the conventional art fails to fully express the user preference.

## 10 SUMMARY OF THE INVENTION

Therefore, an object of the present invention is to provide a data structure for describing multiple item user preference information data structure which is capable of classifying and setting user's preference information regarding  
15 multimedia content with multiple items to thereby provide users with user request-based whole or partial multi-media information, and a method for providing multi-media information by using the user preference information data structure.

To achieve these and other advantages and in accordance with the purpose of the present invention, as embodied and broadly described herein,  
20 there is provided a multiple item user preference information data structure for multi-media contents provided from an information provider to an information user, including single item user preference information for single items related to the multi-media contents; and multiple items user preference information for multiple items formed by combining the multiple items and assigning single preference  
25 value(level).

In order to achieve the above object, there is also provided a method for providing multi-media information using the multiple item user preference information data structure to provide a multi-media contents desired by users, including the steps of: setting user preference information for the multi-media contents; searching the multi-media contents according to the user preference information; and providing users with multi-media contents according to the searching result.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying drawings, which are included to provide a further understanding of the invention and are incorporated in and constitute a part of this specification, illustrate embodiments of the invention and together with the description serve to explain the principles of the invention.

In the drawings:

Figure 1 is a table expressing user preference information in accordance with a conventional art;

Figure 2 illustrates a construction of a user preference information data structure in accordance with a conventional art;

Figure 3 illustrates a construction of a user preference information data structure in accordance with the present invention; and

Figure 4 is a table expressing user preference information in accordance with the present invention.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Reference will now be made in detail to the preferred embodiments of the present invention, examples of which are illustrated in the accompanying drawings.

In order to filter and search multi-media contents, the presented data structure for describing user's preference information permits assigning single preference value(level) to the combinations of multiple user preference items, so as to provide the data structure for describing the user preference level for the multiple items and the method for providing the multi-media information by using the data structure.

The presented user preference information data structure can be represented as follows

$$\text{Pref} = \{(L, v): \begin{array}{l} L \text{ denotes the list of single preference items} \\ v \text{ is user's preference value for combinations} \\ \text{of preference items in list } L \end{array}\}$$

Figure 3 illustrates a construction of a user preference information data structure in accordance with the present invention.

As shown in the drawing, a sub-tree of the user preference information 200 includes a plurality (0, 1, ..., n) of single item user preference information 210 and a plurality (0, 1, ..., n) of multiple items user preference information 220. A sub-tree of the single item user preference information 210 includes a user preference item identifier 211 and an item user preference 212 corresponding to the user preference item identifier. A sub-tree of the multiple items user preference information 220 includes a plurality (2, 3, ..., n) of multiple items identifiers 221 and an item user preference level 222 corresponding to the multiple items identifier.

In this respect, in the sub-trees of the single item user preference information 210 and the multiple items user preference information 220, items in the similar condition form a group (or a set), which will now be described in detail with reference to Figure 4.

5           Figure 4 is a table expressing user preference information in accordance with the present invention, which includes a user preference item identifier field indicating single items and multiple items and a user preference/non-preference level field indicating the degree of the user preference for each item.

10           The single items are divided into single item identifiers and its user preference levels such as a director 'A'. The multiple items are divided into several multiple items consisting of a direction 'A', a director 'B', a genre 'A' and a genre 'B' (i.e., the director 'A' and the genre 'A', the director 'A', the genre 'B', the director 'B' and the genre 'A' and the director 'B' and the genre 'B') and its user preference level.

15           Meanwhile, likewise in the conventional art, the user preference information may be changed using a user's access pattern or explicitly edited by the user.

20           That is, the user can give different weight value for the single items and the multiple items, so that user preference information suiting the user's taste can be set and thus more accurate information can be obtained.

25           Generally, the user preference information data structure which permits multiple items preference is able to provide more accurate information to users than the user preference permits only the single item preference. Therefore, the user preference data structure of present invention can produce more precise result than that of conventional art. and the multimedia information or a portion of



the multi-media information provided according to the user preference.

Therefore, by taking the method for providing multi-media information by using the data structure including the multiple items, users can receive more accurate information of desired contents automatically.

5 With reference to Figure 4, the merit of the user preference information including the multiple items will now be described in detail.

As show in the drawing, it is noted that the user has a tendency (indicated by 'H2') to prefer a movie directed by a director 'B', a movie belonging to a genre 'B' and a movie in which an actor 'A' plays, and has a tendency (indicated by 'H1')  
10 'not to prefer a movie directed by a director 'A', a movie belonging to a genre 'A' and a movie in which an actor 'B'.

If the user preference information is expressed only with the single item for the user preference/non-preference according to the conventional art, it is inferred that the user would prefer a movie (indicated by 'H4') that belongs to the genre 'B' and the actor 'A' plays to a movie (indicated by 'H3') that belongs to the genre 'B'  
15 and the actor 'B' plays. But it may not be true.

That is, as shown in Figure 4, in case that the user preference information is expressed by using the multiple items and its corresponding user preference/non-preference level, it is resulted in that the user prefers the movie  
20 (P2 = H3) that belongs to the genre 'B' and the actor 'B' plays to the movie (P1 = H4) that belongs to the genre 'B' and the actor 'A' plays.

Consequently, the user preference information can be more accurately recommended or provided by using the multiple items.

Though the multiple items are increased in number as the number of the  
25 single item is increased, since only the substantially critical multiple items or

multiple items desired by the user are stored, and when the single items are combined to generate multiple items, some multiple items that could be hardly combined are excluded from storing, so that the memory of the system can be effectively managed.

5           Also, by allocating a weight value for the single items and the multiple items, the multi-media information desired by the user can be rapidly filtered and searched according to the order of priority.

As so far described, according to the multiple item user preference information data structure of a user profile and the multi-media contents  
10       filtering/searching method using the data structure of the present invention, user preference items are divided into the single items and multiple items consisting of the combination of the single items, and the user preference/non-preference information is described for the single items and for the multiple items, so that more accurate multi-media information suiting the user's taste can be used for  
15       recommending or providing to the information user.

As the present invention may be embodied in several forms without departing from the spirit or essential characteristics thereof, it should also be understood that the above-described embodiments are not limited by any of the details of the foregoing description, unless otherwise specified, but rather should  
20       be construed broadly within its spirit and scope as defined in the appended claims, and therefore all changes and modifications that fall within the meets and bounds of the claims, or equivalence of such meets and bounds are therefore intended to be embraced by the appended claims.